## NOTICE OF PRODUCT CERTIFICATION •



CERTIFICATION NO: NI012751.01-R3

**DATE:** 07/26/2015

CERTIFICATION PROGRAM: Structural

COMPANY: Reeb

**CODE:** 850-1

**REVISION DATE:** <u>02/03/2020</u>

To verify that the "Notice of Product Certification" is valid, please visit <a href="www.NAMICertification.com">www.NAMICertification.com</a> to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION	
Reeb Millwork Corporation	Steel Glazed In-Swing	
7475 Henry Clay Boulevard	Side-Hinged Door w/Sidelites	
Liverpool, NY 13088		
	Glazing: Insulating Glass (Tempered) Qualified Configurations: O, X, OX, XO, OXO, OOX, XOO	
	Frame: W-2845mm(	(112") H-2083mm(82")
	Panel: W-914mm(3	36") H-2013mm(79.25")
	Sidelite: W-914mm(	36") H-2013mm(79.25")

PRODUCT RATING
Manufactured Housing: Wind Zone II Design Wind Pressure Rating +48/-48 psf

Product Tested By: Architectural Testing, Inc. Report No: A4929.01-501-47/W-1740

Expiration Date: <u>July 31, 2022</u>

Administrator's Signature:



## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124

Fax: (804) 684-5122