

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014138.02
DATE: 01/18/2020
CERTIFICATION PROGRAM: Structural
COMPANY: Titan Glass
CODE: 2447-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Titan Glass & Aluminum, LLC 450 West 27th Avenue Hialeah, FL 33010	Series "5000" Aluminum Sliding Glass Door Configuration: OXXXXO Glazing: Monolithic-1/4" Tempered Glass/0.060" Kuraray Butacite Interlayer/1/4" Tempered Glass Frame: W-9144mm(360") H-3683mm(145") Panel: W-1594mm(62.75") H-3604mm(141.88") DLO: W-1397mm(55") H-3416mm(134.5")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±4800 Pa (100 psf) Positive Design Pressure: 4800 Pa (100 psf) Negative Design Pressure: 5267 Pa (110 psf) Water Penetration Resistance Test Pressure: 718 Pa (15.0 psf) Small Missile Impact Rated

Product Tested By: Fenestration Testing Laboratory, Inc.
Report No: FTL 10198
Expiration Date: **February 28, 2023**

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122