NOTICE OF PRODUCT CERTIFICATION



To verify that the "Notice of Product Certification" is valid, please visit <u>www.NAMICertification.com</u> to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
East Coast Lumber & Supply Company	20 Minute Category C
308 Avenue A	Proprietary Wood Door Frames
Fort Pierce, FL 34950	
	Manufacture Specific Fire Door Frames for Single Swing Only Installation in 20 Minute Locations
	Single Door Maximum Size: 3'0" x 8'0"
	Minimum Thickness: 4-9/16"

SPECIFICATION

NFPA 252 (1995) UL 10b (1997)(2009) CAN/ULC S104 (1980)(2010) UBC Standard 7-2 (1994)

PRODUCT RATING

20 Minute-With Hose Stream Neutral Pressure Category C- Proprietary Frame

TEST REPORT

Intertek Test Report No(s): J98027188-231

Sh

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124/ Fax: (804) 684-5122