

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI005899-R5
DATE: 01/10/2005
CERTIFICATION PROGRAM: Structural
COMPANY: Ply Gem
CODE: 1408-1
REVISION DATE: 03/11/2020

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Ply Gem Window Group 433 North Main Street Rocky Mount, VA 24151	Series "4810-FIR" Aluminum Single Hung Window Configuration: OX Glazing: IG-1/8" Annealed Glass/Laminate- 1/8" Annealed Glass/0.090" PVB Interlayer by Solutia/1/8" Annealed Glass Frame: W-1219mm(48") H-1803mm(71") Sash: W-1168mm(46") H-914mm(36")

SPECIFICATION	PRODUCT RATING
AAMA 506-00 ASTM E1886-97/E1996-03	Design Pressure: +50/-57 psf Wind Zone 3-Missile Level D

Product Tested By: Construction Consulting Laboratory, International
Report No: CCLI-04-229
Expiration Date: December 31, 2024

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122