

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI012610.01-R1  
**DATE:** 06/02/2015  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Sky-Frame  
**CODE:** 2114-1  
**DATE:** 05/12/2020

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Sky-Frame, Inc.</b> <b>Langfeldstrasse 111</b> <b>Frauenfeld, Switzerland CH-8500</b>	<b>Series "Sky-Frame 2"</b> <b>Aluminum Horizontal Sliding Window</b>  Configuration: OX Glazing: IG Interior-Laminate-4mm Annealed Glass/ 0.120" SentryGlas® Plus/4mm Annealed Glass/ Exterior-6mm Tempered Glass  Frame: W-4089mm(161") H-3200mm(126") Panel: W-1975mm(77.75") H-3048mm(120")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class AW-PG50 4089 x 3100 (161 x 126)-HS</b> <b>Design Pressure: ±2394 Pa (50 psf)</b> <b>Water Penetration Resistance Test Pressure: 720 Pa (15.04 psf)</b>

Product Tested By: Architectural Testing, Inc.  
Report No: D3871.01-250-44-R2  
Expiration Date: **December 31, 2024**

A handwritten signature in black ink, appearing to be "S.M.", written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122