

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014845
DATE: 05/05/2020
CERTIFICATION PROGRAM: Structural
COMPANY: Regency
CODE: 750-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Regency Plus, Inc. 2000 Locust Gap Highway Mount Carmel, PA 17851	Series "5405" Vinyl Horizontal Sliding Window Configuration: XO Glazing: IG-1/8" Annealed Glass/0.090" PVB Interlayer/1/8" Annealed Glass/1/8" Tempered Glass Frame: W-1880mm(74") H-1600mm(63") Panel: W-902mm(35.5") H-1524mm(60") DLO: W-838mm(33") H-1461mm(57.5")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ± 2633 Pa (± 55 psf) Water Penetration Resistance Test Pressure: 395 Pa (8.25 psf) Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-22724-1/NCTL 110-11507-1
Expiration Date: April 30, 2024

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shirley", is written over a horizontal line.

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122