

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014872.01  
DATE: 05/25/2020  
CERTIFICATION PROGRAM: Structural  
COMPANY: Four Seasons  
CODE: 1812-1

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Four Seasons Solar Products, LLC</b> <b>5005 Veterans Memorial Highway</b> <b>Holbrook, NY 11741</b>	<b>Series "S-7500"</b> <b>Vinyl Sliding Door</b> Configuration: OXXO Glazing: Insulating Glass (Tempered)  Frame: W-3543mm(139.49") H-2080mm(81.89") Panel: W-905mm(35.63") H-1971mm(77.6")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> <b>AAMA/WDMACSA 101/I.S.2/A440-11</b> <b>A440S1-09/17</b>	<b>Class R-PG35 3543 x 2080 (140 x 82)-SD</b> <b>Design Pressure: ±1680 Pa (35 psf)</b> Water Penetration Resistance Test Pressure: 440 Pa(9.0 psf) Canadian Air Infiltration/Exfiltration Level: A3

Product Tested By: AIR-INS inc.  
Report No: AI-04159-E1 Rev. 1  
Expiration Date: May 31, 2024

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122