

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI011351.16-R4  
**DATE:** 06/21/2013  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Ply Gem  
**CODE:** 1408-1  
**REVISION DATE:** 06/25/2020

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Ply Gem Window Group</b> <b>433 North Main Street</b> <b>Rocky Mount, VA 24151</b>	<b>"Ply Gem 1500"</b> <b>Vinyl Tilt Single Hung Window</b>  Configuration: O/X Glazing: Insulating Glass (Annealed)  Frame: W-913mm(35.94") H-2134mm(84") Sash: W-849mm(33.44") H-1040mm(40.94")

SPECIFICATION	PRODUCT RATING
<b>AAMA 1701.2-95/02/AAMA 1701.2-02</b> <b>Federal Manufactured Home Construction</b> <b>&amp; Safety Standard 3280.305</b> <b>AAMA 1704-01</b>	<b>Manufactured Housing-Passed</b> <b>Wind Zone III</b> <b>Design Wind Pressure Rating:</b> <b>+58/-58 psf</b> <b>Egress-Passed</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-16027-2/W-1867  
Expiration Date: **March 31, 2023**

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122