

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014921  
DATE: 07/29/2020  
CERTIFICATION PROGRAM: Structural  
COMPANY: Prime Window  
CODE: 2287-1

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Prime Window Systems</b> <b>12775 East 38<sup>th</sup> Avenue</b> <b>Denver, CO 80239</b>	<b>Series "4500"</b> <b>Vinyl Euro Frame Hopper Window</b>  Configuration: X Glazing: Insulating Glass (Annealed)  Frame: W-1524mm(60") H-813mm(32") Vent: W-1445mm(56.88") H-730mm(28.75") DLO: W-1321mm(52") H-603mm(23.75")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class LC-PG75 1524 x 813 (60 x 32)-AP</b> <b>Design Pressure: +3600 Pa (+75 psf)</b> <b>Negative Design Pressure: -3840 Pa (-80 psf)</b> <b>Water Penetration Resistance Test Pressure: 720 Pa (15.04 psf)</b>

Product Tested By: Architectural Testing, Inc.  
Report No: C9746.08-109-47  
Expiration Date: **June 30,2024**

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "S.H.D.", is written over the signature line.

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122