

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014945  
DATE: 08/24/2020  
CERTIFICATION PROGRAM: Fire  
COMPANY: Carter Lumber  
CODE: 2674-1  
EXPIRATION DATE: 08/31/2024

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS   | PRODUCT DESCRIPTION  |
|--|--|
| <b>Carter Lumber Corporation</b><br><b>2601 Westinghouse Boulevard</b><br><b>Charlotte, NC 28273</b> | <b>Steve's &amp; Sons/Crest Doors 6-Panel</b><br><b>Embossed Steel Fire Door</b><br><br>Manufacturer Specific Fire Doors for Single Swing Installation<br>in 20 Minute Locations<br><br>1/2" Minimum Latch Throw<br>Single Swing Only<br><br><b>Single Maximum Size: 3'0" x 6'8"</b><br><b>Minimum Thickness: 1-3/4"</b> |

| SPECIFICATION  | PRODUCT RATING  |
|--|---|
| <b>ASTM E152-81a</b><br><b>UL 10B (1997)(2009)</b><br><b>NFPA 252 (1999)</b> | <b>20 Minute-Neutral Pressure</b><br><b>Without Hose Stream</b><br><b>Category A - No Additional Edge Sealing</b><br><b>System Required</b> |

| TEST REPORT                      |
|----------------------------------|
| Intertek Test Report No: 3125633 |

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "Shelley".

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Fax: (804) 684-5122