

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014246-R2
DATE: 10/25/2018
CERTIFICATION PROGRAM: Structural
COMPANY: Window Crafts
CODE: 690-1
REVISION DATE: 09/30/2020

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p>Window Craftsmen 6031 Clark Center Avenue Sarasota, FL 34238</p>	<p>Series "2021 Vortex" Vinyl Sliding Glass Door</p> <p>Configuration: OXXO Glazing: Insulating Glass (Tempered)</p> <p>Frame: W-3658mm(144") H-2438mm(96") Panel: W-943mm(37.13") H-2353mm(92.63") DLO: W-765mm(30.13") H-2172mm(85.5")</p>

SPECIFICATION	PRODUCT RATING
<p>AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08</p>	<p>Class LC-PG30 3658 x 2438 (144 x 96)-SD Design Pressure: ±1436 Pa (30 psf) Positive Design Pressure: 2160 Pa (45 psf) Negative Design Pressure: 2160 Pa (45 psf) Water Penetration Resistance Test Pressure: 220 Pa (4.60 psf) Canadian Air Infiltration/Exfiltration Level: A2</p>

Product Tested By: Molimo, LLC
 Report No: 1605.02-109-12
 Expiration Date: **June 30, 2026**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
 MANAGEMENT INSTITUTE, INC.**
 4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124
 Fax: (804) 684-5122