NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI013357-R2
DATE: 08/31/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Loewen
CODE: 1862-1
REVISION DATE: 10/06/2020

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Loewen **77 Highway 52 West** **Steinbach, Manitoba R5G 1B2**	**Series "3" Narrow Stile Aluminum Clad Bi-Fold Out-Swing Door" Glazed Out-Swing Aluminum Clad Wood Bi-Fold Door Assembly** Configuration: XXXX Glazing: Insulating Glass (Tempered) Frame: W-3995mm(157") H-2727mm(107") Panel: W-982mm(39") H-2613mm(103") DLO: W-832mm(33") H-2428mm(96")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 **AAMA/WDMA/CSA 101/I.S.2/A440-08** **CSA A440S1-09**	**Class LC-PG25 3995 x 2727 (157 x 107)-SHD** **Design Pressure: 1200 Pa (25 psf)** **Water Penetration Resistance Test Pressure: 260 Pa (5.43 psf)** **Canadian Air Infiltration/Exfiltration Level: A3**

Product Tested By: UL, LLC
Report No: SV30624-20160810-Report/W-1921
Expiration Date: **August 31, 2030**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122