NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI014986**
DATE:	**09/24/2020**
CERTIFICATION PROGRAM:	**Fire**
COMPANY:	**Starlink**
CODE:	**2681-1**
EXPIRATION DATE:	**07/31/2021**

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Starlink Building Supply, Inc. **4982 4th Street** **Irwindale, CA 91706**	**Series " 200PP"** **Single Leaf Fire Proof Fiberglass** **Side Hinged Door** Manufacturer Specific Fire Doors for Single Swing Installation in 20 Minute Locations 1/2" Minimum Latch Throw Single Swing Only **Maximum Size: 908mm x 2413mm** **Minimum Thickness: 44.5mm**

SPECIFICATION	PRODUCT RATING
NFPA 252 (2012) **UL 10(b) (2009)** **UBC Standard 7-2 (1997)** **UL 10(c) (2009)**	**20 Minute-Positive Pressure** **20 Minute-Neutral Pressure** **Without Hose Stream** **Category B Door-Additional Edge Seal Required** **For Use in Category C Frame** (or may also be installed in Category C-Proprietary in accordance with individual manufacturer's listing)

TEST REPORT
Intertek Test Report No: 170410011SHF-BP-1

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124/ Fax: (804) 684-5122