

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015022
DATE: 10/26/2020
CERTIFICATION PROGRAM: Structural
COMPANY: Dyke Ind.
CODE: 2623-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Dyke Industries 653 Instrument Drive Rocky Mount, NC 27804	Plastpro Glazed Full Lite Outswing Fiberglass Double Door Assembly w/Sidelites Configuration: OXXO Glazing: Insulating Glass (Ext: Tempered/Int: Annealed) Frame: W-3848mm(151.5") H-2045mm(80.5") Panel: W-908mm(35.75") H-2013mm(79.25")

SPECIFICATION	PRODUCT RATING
ASTM E283-04 ASTM E330-02 ASTM E331-02	Design Pressure: ± 2873 Pa (60 psf) Water Penetration Resistance Test Pressure: 430 Pa (9.00 psf)

Product Tested By: Testing Evaluation Laboratories, Inc.
Report No: TEL 01390244
Expiration Date: **October 31, 2024**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122