

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015027
DATE: 10/26/2020
CERTIFICATION PROGRAM: Structural
COMPANY: Dyke Ind.
CODE: 2623-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Dyke Industries 653 Instrument Drive Rocky Mount, NC 27804	Series "Smooth Skin" Opaque Inswing Fiberglass Side Hinged Door Assembly Configuration: X Frame: W-953mm(37.50") H-2083mm(82") Panel : W-908mm(35.75") H-2013mm(79.25")

SPECIFICATION	PRODUCT RATING
ASTM E283-04 ASTM E330-02 ASTM E331-00	Design Pressure: ± 3840 Pa (± 80 psf) Water Penetration Resistance Test Pressure: 0.0 Pa (0.0 psf)

Product Tested By: ETC Laboratories
Report No: ETC-10-209-24641.0
Expiration Date: October 31, 2024

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122