

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015029
DATE: 10/26/2020
CERTIFICATION PROGRAM: Structural
COMPANY: Dyke Ind.
CODE: 2623-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Dyke Industries 653 Instrument Drive Rocky Mount, NC 27804	Series "Rustic Mahogany" Opaque Outswing Fiberglass Side Hinged Door Assembly w/Fixed Sidelites & No Reinforcements Configuration: OXO Frame: W-1892mm(74.50") H-2464mm(97") Panel: W-1060mm(41.75") H-2419mm(95.25") DLO: W-178mm(7") H-2007mm(79")

SPECIFICATION	PRODUCT RATING
ASTM E283-04 ASTM E330-02 ASTM E331-00	Design Pressure: ± 1440 Pa (± 30 psf) Water Penetration Resistance Test Pressure: 395 Pa (8.25 psf)

Product Tested By: Testing Evaluation Laboratories, Inc.
Report No: TEL 01391130
Expiration Date: October 31, 2024

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122