

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015072.01  
**DATE:** 11/03/2020  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** North State  
**CODE:** 2702-1

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>North State Millwork Corporation</b> <b>2708 West Raleigh Boulevard</b> <b>Rocky Mount, NC 27803</b>	<b>JELD-WEN "Design Pro/Smooth Pro/Studio"</b> <b>Fiberglass Glazed In-Swing or Out-Swing</b> <b>Side-Hinged Doors w/Glazed Sidelites</b>  Configuration: OXO Glazing: Insulating Glass (Tempered)  IS Frame: W-2847mm(112.12") H-2487mm(97.93") OS Frame: W-2847mm(112.12") H-2470mm(97.25") Panel: W-908mm(35.75") H-2419mm(95.25") DLO: W-606mm(23.87") H-1995mm(78.56")

SPECIFICATION	PRODUCT RATING
<b>ASTM E283-04/E330-02</b> <b>TAS 202-94</b> <b>AAMA 1304-02</b>	<b>Design Pressure: +45/-45 psf</b> <b>Qualifies Configurations: XO/OXO</b>

Product Tested By: National Certified Testing Laboratories

Report No: NCTL-210-3918-01/SJW2013-137-TAS/SJW2013-241/SJW2013-242/SJW2013-208-TAS/SJW2013-209-TAS/SJW2013-251/SJW2013-252/SJW2013-253/NCTL-210-3925-03/NCTL-210-3918-02/SJW2014-032/NCTL-210-3930-01/NCTL-210-3930-02/SJW2014-068/SJW-2014-071/SJW2014-069/SJW2014-079/W-1674/W-1701/W-1783/W-1799/W-1861/W-1879/W-1899/W-1904/W-1936/W-1943

Expiration Date: **November 30, 2024**

Administrator's Signature: \_\_\_\_\_ 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122