


NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011437-R3
DATE: 02/06/2013
CERTIFICATION PROGRAM: Fire
COMPANY: ProVia Door
CODE: 1212-1
REVISION DATE: 10/27/2020
EXPIRATION DATE: 02/28/2024

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ProVia Door, LLC 2150 State Route 39 Sugarcreek, OH 44681	20 Minute Neutral Pressure Fire Door Assemblies w/o Hose Stream Manufacturer Specific Fire Doors for Single Swing Installation in 20 Minute Locations 1/2" Minimum Latch Throw Single Swing Only Maximum Size: 3'0" x 8'0" Minimum Thickness: 1-3/4"

SPECIFICATION	PRODUCT RATING
NFPA 252 (1999) UL 10B (2009) UBC Standard 7-2 (1997)	20 Minute-Neutral Pressure Without Hose Stream

TEST REPORT
Intertek Test Report No: 100137063MID-005, 3172703MID-011, 100285991MID-003, 3172703MID-001, 3054678/Intertek Engineering Evaluation Report No: 100137063MID-006, 100415652MID-002, 100199935MID-003

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "MD", is written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Fax: (804) 684-5122