

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI005368-R8
DATE: 03/09/2004
CERTIFICATION PROGRAM: Structural
COMPANY: Eurocraft
CODE: 2409-1
REVISION DATE: 12/09/2020

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|--|
| Eurocraft Industries, Inc. 7905 Northwest 77th Avenue Medley, FL 33166 | Series "76 MD Vinyl In-Swing Balcony Door" UPVC In-Swing Door Configuration: X Glazing: Monolithic 1/4" Heat Strengthened Glass/0.100" PVB Interlayer/1/4" Heat Strengthened Glass Frame: W-3'7" H-8'0" Vent: W-3'5" H-7'9" STP: POS+165 psf NEG-165 psf |

| SPECIFICATION | PRODUCT RATING |
|---------------------------|--|
| TAS 201/202/203-94 | Design Pressure: +110/-135 psf Large Missile Impact Rated |

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-2892-1/W-1870
Expiration Date: **December 31, 2024**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122