NOTICE OF PRODUCT CERTIFICATION



To verify that the "Notice of Product Certification" is valid, please visit <u>www.NAMICertification.com</u> to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Panda Windows and Doors	Series "IS-14 A/A & A/W"
3415 Bellington Road	Lift & Slide 90° Corner Aluminum
North Las Vegas, NV 89030	Sliding Glass Pocket Door
	Configuration: XXXXXX Glazing: Monolithic-1/4" Heat Strengthened Glass/0.090" DuPont Sentry Glass Plus/1/4" Heat Strengthened Glass or IG-1/4" Tempered Glass/1/4" Heat Strengthened Glass/0.090" DuPont Sentry Glass Plus/1/4" Heat Strengthened Glass
	Frame: W-5975mm(235.25") H-3740mm(147.25")
	Panel: W-1524mm(60.00") H-3657mm(144.00")
	DLO: W-1296mm(51.06") H-3430mm(135.06")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±4788 Pa (100 psf) Large Missile Impact Rated

Product Tested By: Report No: Expiration Date: Architectural Testing, D7527.01-301-18 **November 30, 2028**



Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC. 4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124/ Fax: (804) 684-5122