

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013099-R1
DATE: 04/01/2016
CERTIFICATION PROGRAM: Fire
COMPANY: G-M Wood Prod
CODE: 2136-1
REVISION DATE: 12/14/2020
EXPIRATION DATE: 04/30/2030

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
G-M Wood Products, Inc. 531 Clay Street Newaygo, MI 49337	JM Eagle 20 Minute Category C Proprietary Wood Composite Door Frames w/PVC Cladding Manufacture Specific Fire Door Frames for Single Swing Installation in 20 Minute Locations (Particle Board Core Wood & Fiberglass Skin Doors Only) Single Door Maximum Size: 3'0" x 8'0" Minimum Thickness: 4-1/2"

SPECIFICATION	PRODUCT RATING
CAN4 S104 (1985)(2010) NFPA 252 (2008)(2012) UL 10C (2001)(2009)	20 Minute-With Hose Stream Positive Pressure Category C- Proprietary Frame

TEST REPORT
Intertek Test Report No(s): 3167720MID-004, 3167700MID-013, 3183953MID-001, 100142215MID-002b, 100529924MID-002R1, 101729929-001

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124/ Fax: (804) 684-5122