

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014328-R1
DATE: 01/22/2019
CERTIFICATION PROGRAM: Structural
COMPANY: Window Crafts
CODE: 690-1
REVISION DATE: 10/01/2020

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Window Craftsmen 6031 Clark Center Avenue Sarasota, FL 34238	Series "CM201" Vinyl Casement Window (New Construction or Replacement) Configuration: X Glazing: IG - 1/8" Annealed Glass/1/8" Annealed Glass/0.090" Solutia PVB Interlayer/1/8" Annealed Glass Frame: W-914mm(36") H-1829mm(72") Vent: W-865mm(34.06") H-1780mm(70.06") DLO: W-752mm(29.63") H-1667mm(65.63")

SPECIFICATION	PRODUCT RATING
ASTM E1886-05/13a ASTM E1996-04/05/06/14a	Design Pressure: ±2400 Pa (50 psf) Wind Zone 3 - Missile Level D

Product Tested By: Intertek, PLC
Report No: I6397.03-501-44/C1823.01-501-44/W-1965
Expiration Date: **July 31, 2026**

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122