

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014935-R1  
DATE: 08/19/2020  
CERTIFICATION PROGRAM: Structural  
COMPANY: Medina Glass  
CODE: 982-1  
REVISION DATE: 12/08/2020

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Medina Glass Block, Inc.</b> <b>dba The Glass Block Supply Company</b> <b>1213 Medina Road</b> <b>Medina, OH 44256</b>	<b>Series "Clear Choice Hurricane Impact</b> <b>Glass Block Windows w/Vinly Frame"</b>  <b>Fixed Glass Block Panels with</b>  <b>PVC Receptor Frames</b>  Configuration: O Glazing: Monolithic Glass Block (3-3/16 Seves 1919/8 BSH)  Frame: W-1205mm(47.44") H-1205mm(47.44") DLO: W-1135mm(44.69") H-1135mm(44.69")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: ±3840 Pa (80 psf)</b> Water Penetration Resistance Test Pressure: 580 Pa(12.12 psf) <b>Large Missile Impact Rated</b>

Product Tested By: Intertek, PLC  
Report No: G9346.01-501-18  
Expiration Date: August 31, 2024

Administrator's Signature: \_\_\_\_\_ 

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122