

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI004812-R9
DATE: 10/22/2001
CERTIFICATION PROGRAM: Structural
COMPANY: Window Tech
CODE: 008-1
REVISION DATE: 06/05/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Window Tech Systems, Inc. 15 Stonebreak Road Malta, NY 12020	Series "7000" Tilt Double Hung Aluminum Prime Window Configuration: XX Glazing: Insulating Glass (Annealed) Frame: W-1371mm(54") H-2286mm(90") Sash: W-1295mm(51") H-1143mm(45")

SPECIFICATION	PRODUCT RATING
AAMA/NWWDA 101/I.S.2-97 ASTM F588-97	H-C50 FER-Passed

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-7689-1(Structural/FER)
Expiration Date: March 31, 2034

Administrator's Signature: 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com