

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI005336.01-R9
DATE: 08/09/2010
CERTIFICATION PROGRAM: Structural
COMPANY: Natural Light
CODE: 557-1
REVISION DATE: 01/23/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Natural Light Energy Systems 10821 North 23rd Avenue, #1 Phoenix, AZ 85029	Model " Natural Light/SolarSkyLite 18" Single Glazed Self-Flashing Tubular Skylight Dome: 0.177" Optix Acrylic Plastic

SPECIFICATION	PRODUCT RATING
ASTM E330-97/TAS 201/202/203-94 ASTM E1886/E1996 ASTM E331-00/283-99	Design Pressure: ±80 psf Missile Impact Rated-Passed as Stated

Product Tested By: Hurricane Testing Laboratory, Inc.
Report No: 0290-0318-02 (Specimen 4 & 1-3)/W-1458
Expiration Date: **February 28, 2029**

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com