

NOTICE OF PRODUCT CERTIFICATION



Company: JELD-WEN
3737 Lakeport Boulevard
Klamath Falls, OR 97601

Certification No.: NI005825-R10
Certification Date: 10/15/2004
Expiration Date: 09/30/2026
Revision Date: 08/31/2023

Product: Series “Strata Aurora Model 20200” Glazed Fiberglass Inswing Door w/ or w/o One Piece Bolection Moulding Sidelights and an Adjustable Sill

Specification: ASTM E330-97/02/14/AAMA 1304-02

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg	Missile Impact Rated	Test Report Number Drawing Number & Comments
X Single	I/S	Glazed	3'0" x 8'1.25"	+50/-50	No	ATI-46996.02-301-44/W-1975/W-2004/W-2078 Glazing: Insulated Glass (Tempered) Installation Details: JW332004(1-6)
OX/XO Single w/Sidelite	I/S	Glazed Door Glazed Sidelite	4'5" x 8'1.25"	+50/-50	Door-No Sidelite-No	ATI-46996.02-301-44/W-1975/W-2004/W-2078 Glazing: Insulated Glass (Tempered) Installation Details: JW332004(1-6)
O XO Single w/Sidelites	I/S	Glazed Door Glazed Sidelite	5'10" x 8'1.25"	+50/-50	Door-No Sidelite-No	ATI-46996.02-301-44/W-1975/W-2004/W-2078 Glazing: Insulated Glass (Tempered) Installation Details: JW332004(1-6)
XX Double	I/S	Glazed	6'1" x 8'1.25"	+50/-50	No	ATI-46996.02-301-44/W-1975/W-2004/W-2078 Glazing: Insulated Glass (Tempered) Installation Details: JW332004(1-6)
OXXO Double w/Sidelites	I/S	Glazed Door Glazed Sidelite	9'3.5" x 8'1.25"	+50/-50	Door-No Sidelite-No	ATI-46996.02-301-44/W-1975/W-2004/W-2078 Glazing: Insulated Glass (Tempered) Installation Details: JW332004(1-6)

National Accreditation & Management Institute, Inc./4794 George Washington Memorial Highway/Hayes, VA 23072
Tel: (804) 684-5124/nami@namiinc.com

NAMI AUTHORIZED SIGNATURE: _____

A handwritten signature in black ink, appearing to be 'S.M.', written over a horizontal line.