

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI005907.02-R1
DATE: 02/16/2010
CERTIFICATION PROGRAM: Structural
COMPANY: Window Crafts.
CODE: 690-1
REVISION DATE: 10/18/2021

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Window Craftsman 6031 Clark Center Avenue Sarasota, FL 34238	Aluminum Prime Entry Outswing Door w/Vertical Sliding Glass Window and Opaque Insulated Kick Panel Glazing: 0.125" Tempered Glass Frame: W-3'2" H-6'9" Panel: W-3'0" H-5'10"

SPECIFICATION	PRODUCT RATING
ASTM E330-02/14/E547-00	Design Pressure: +55/-55 psf

Product Tested By: Certified Testing Laboratories
Report No: CTLA-1297W/W-1965/W-2008
Expiration Date: August 31, 2024

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122