

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI005963-R7  
DATE: 11/30/2004  
CERTIFICATION PROGRAM: Structural  
COMPANY: Kennedy  
CODE: 1978-1  
REVISION DATE: 06/20/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Natural Light Energy Systems</b> <b>dba Kennedy Skylights</b> <b>5294 Tower Way</b> <b>Sanford, FL 32772</b>	<b>Model "ICMG" Curb Mounted</b> <b>Impact Rated Glass Skylight</b>  Glazing: IG-1/8" Tempered Glass/Laminate-1/8" Annealed Glass/0.090" DuPont Butacite Interlayer/1/8" Annealed Glass  Frame: W-4'3"    Opening: W-3'7"  H-4'3"                    H-3'7"

SPECIFICATION	PRODUCT RATING
<b>ASTM E283-91/E330-84/00/E331-93</b> <b>ASTM E1886-97/1996-99</b>	<b>Design Pressure: +60/-60 psf</b> <b>Large Missile Impact Rated</b>

Product Tested By: National Certified Testing Laboratories, Inc.  
Report No: NCTL-210-3041-1B, 2B  
Expiration Date: August 31, 2024

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)