

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI006447.04-R1  
**DATE:** 03/21/2006  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** West Window  
**CODE:** W-113-1  
**REVISION DATE:** 10/30/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>West Window Corporation</b> <b>226 Industrial Park Drive</b> <b>PO Drawer 3071</b> <b>Martinsville, VA 24115</b>	<b>Series "West-Elite" Vinyl</b> <b>Double Hung Prime Window</b> Configuration: X/X Glazing: Insulating Glass (Annealed)  Frame: W-1118mm(44") H-1600mm(63") Sash: W-1045mm(41.16") H-794mm(31.25")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b> <b>ASTM F588-04</b>	<b>H-R50 1118 x 1600 (44 x 63)</b> <b>Design Pressure: +50/-50 psf</b> <b>FER-Passed</b>

Product Tested By: Architectural Testing, Inc.  
Report No: ATI-62607.02-701-47  
Expiration Date: December 31, 2028

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023