

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI006696-R5  
**DATE:** 09/12/2006  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Quaker  
**CODE:** 031-1  
**REVISION DATE:** 09/16/2021

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Quaker Window Products</b> <b>Highway 63 South</b> <b>Freeburg, MO 65035</b>	<b>Series "V200 Manchester" Vinyl</b> <b>Casement Window</b>  Configuration: X  Glazing: Insulating Glass (Annealed)  Frame: W-610mm(24") H-1524mm(60") Sash: W-572mm(22.5") H-1486mm(58.5")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b> <b>ASTM F588-04</b>	<b>C-R40 610 x 1524 (24 x 60)</b> <b>FER-Passed</b>

Product Tested By: Architectural Testing, Inc.  
Report No: 66882.01-801-47/W-1823  
Expiration Date: July 31, 2026

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be 'S.M.', is written over the signature line.

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122