

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI008067-R6
DATE: 05/29/2007
CERTIFICATION PROGRAM: Structural
COMPANY: Simpson
CODE: 1145-1
REVISION DATE: 01/31/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Simpson Door Company 400 Simpson Avenue McCleary, WA 98557	Series "7001" Wood French In-Swing & Out-Swing Glazed Door Configuration: XX Glazing: IG-1/8" Tempered Glass/Laminate- 1/8" Annealed Glass/0.090" DuPont Sentryglas®Plus/ 1/8" Annealed Glass Frame: W-1905mm(75") H-2489mm(98") Panel: W-914mm(36") H-2438mm(96")

SPECIFICATION	PRODUCT RATING
ASTM E330-02/E283-04/E547-00 ASTM E1886-04/E1996-03	Design Pressure: ±2514 Pa (52.5 psf) Wind Zone 4-Missile Level D

Product Tested By: Construction Consulting Laboratory, International
Report No: CCLI-05-082/CCLI-05-083/CCLI-07-105/CCLI-07-106
Expiration Date: **April 30, 2031**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com