

# NOTICE OF PRODUCT CERTIFICATION



**Company:** JELD-WEN  
3737 Lakeport Boulevard  
Klamath Falls, OR 97601

**Certification No.:** NI008085.01-R12 Page 1  
**Certification Date:** 06/03/2007  
**Expiration Date:** 12/31/2028  
**Revision Date:** 08/31/2023

**Product:** Series “Aurora” Custom Fiberglass Door w/ or w/o Sidelites (w/Wood Frame unless noted)

**Specification:** ASTM E283-04/E330-02/14/E331-00 ASTM E1886-05/13a/1996-05/14a  
**Impact Rating:** Missile Level D

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg	Missile Impact Rated	Test Report Number Drawing Number & Comments
X Single	O/S	Glazed	3'8" x 8'2"	+50/-50	Yes	SJW2007-104/W-1894/W-1975/W-2004/W-2052/W-2078 Max Panel Size: 3'6" x 8'0" Maximum Daylight Opening: 2'9" x 7'10" Installation Details: 5701SL
XX Double	O/S	Glazed	7'2" x 8'2"	+50/-50	Yes	SJW2007-104/W-1894/W-1975/W-2004/W-2052/W-2078 Max Panel Size: 3'6" x 8'0" Maximum Daylight Opening: 2'9" x 7'10" Installation Details: 5701SL
OX/XO Single w/Sidelite	O/S	Glazed	5'2" x 8'2"	+50/-50	Yes	SJW2007-104/W-1894/W-1975/W-2004/W-2052/W-2078 Max Panel Size: 3'6" x 8'0"/Sidelite: 1'6" x 8'0" Maximum Daylight Opening: 2'9" x 7'10" Installation Details: 5701SL
OXO Single w/Sidelites	O/S	Glazed	6'9" x 8'2"	+50/-50	Yes	SJW2007-104/W-1894/W-1975/W-2004/W-2052/W-2078 Max Panel Size: 3'6" x 8'0"/Sidelite: 1'6" x 8'0" Maximum Daylight Opening: 2'9" x 7'10" Installation Details: 5701SL
OXXO Double w/Sidelites	O/S	Glazed	10'4" x 8'2"	+50/-50	Yes	SJW2007-104/W-1894/W-1975/W-2004/W-2052/W-2078 Max Panel Size: 3'6" x 8'0"/Sidelite: 1'6" x 8'0" Maximum Daylight Opening: 2'9" x 7'10" Installation Details: 5701SL

National Accreditation & Management Institute, Inc./4794 George Washington Memorial Highway/Hayes, VA 23072  
Tel: (804) 684-5124/nami@namiinc.com

NAMI AUTHORIZED SIGNATURE: \_\_\_\_\_