

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009029.01-R9
DATE: 09/10/2007
CERTIFICATION PROGRAM: Structural
COMPANY: MidSouth
CODE: 891-1
REVISION DATE: 06/28/2022

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
MidSouth Glass Company 330 South Parkway West Memphis, TN 38109	Series "MSG-2100TR-IM" Aluminum Fixed Composite Window w/Louver Panel Configuration: O/O/O Glazing: IG-Laminate-1/8" Heat Strengthened Glass/0.075" Vanceva/1/8" Heat Strengthened Glass/0.500" Air Space/3/16" Annealed Glass Frame: W-2311mm(91") H-2438mm(96") DLO: W-1073mm(42.25") H-1819mm(71.63")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-05 ASTM E1886-05/E1996-05	F-HC45 2311 x 2438 (91 x 96) Design Pressure: +45/-45 psf Wind Zone 3-Missile Level D

Product Tested By: Mid America Testing Laboratory, Inc./American Test Lab
Report No: 07080W/ATLNC 0907.01-07
Expiration Date: September 30, 2024

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com