NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009198-R8

DATE: <u>12/30/2007</u>

CERTIFICATION PROGRAM: Structural

COMPANY: Maxim

CODE: 1256-1

REVISION DATE: <u>05/15/2024</u>

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION	
Maxim Industries, Inc.	Series "Dade Self-Flashing"	
201 Longhorn Road	Polycarbonate Glazed Aluminum Skylig	ght
Fort Worth, Texas 76179		
	Configuration: O	
	Glazing: Exterior Dome-0.118" Hyzod Polycarbonate w/8" rise/Interior Dome-0.118" Hyzod Polycarbonate w/4" rise	
	Overall: W-4'6" DLO: W-3'9"	
	H-8'6" H-7'9"	

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: +60/-60 psf Large Missile Impact Rated

Product Tested By: Architectural Testing, Inc.

Report No: ATI-01-43381.01 Expiration Date: **December 31, 2027**

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072

Tel: (804) 684-5124 nami@namiinc.com

NOPC-03/30/2023