## NOTICE OF PRODUCT CERTIFICATION

DES ACCREDITED		
4 JANL ACCREDITADOG	<b>CERTIFICATION NO:</b>	<u>NI009198.01-R7</u>
NO NA DE TRAN	DATE:	<u>12/30/2007</u>
(NAMI)	<b>CERTIFICATION PROGRAM:</b>	<b>Structural</b>
( The second sec	<b>COMPANY:</b>	Maxim
AGEMENT INSTIT	CODE:	<u>1256-1</u>
ERTIFIED PRODUC	<b>REVISION DATE:</b>	<u>10/16/2023</u>

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit <u>www.namicertification.com</u>. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRO	DDUCT DES	CRIPTI	ON
Maxim Industries, Inc.	Series "Dade Curbmount"			
201 Longhorn Road	Polycarbonate Glazed Aluminum Skylight			
Fort Worth, Texas 76179				
	Configuration: O			
	Glazing: Exterior Dome-0.118" Hyzod Polycarbonate w/8" rise/Interior Dome-0.118" Hyzod Polycarbonate w/4" rise			
	Overall:	W-4'4"	DLO:	W-4'0"
		H-8'4"		H-8'0"

SPECIFICATION	PRODUCT RATING	
TAS 201/202/203-94	Design Pressure: +60/-60 psf Large Missile Impact Rated	

Product Tested By: Report No: Expiration Date: Architectural Testing, Inc. ATI-01-43381.01 December 31, 2024

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC. 4794 George Washington Memorial Highway Hayes, VA 23072

> Tel: (804) 684-5124 Email: <u>nami@namiinc.com</u>