NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI009198.01-R8
DATE: 12/30/2007
CERTIFICATION PROGRAM: Structural
COMPANY: Maxim
CODE: 1256-1
REVISION DATE: 05/15/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Maxim Industries, Inc. **201 Longhorn Road** **Fort Worth, Texas 76179**	**Series "Dade Curbmount"** **Polycarbonate Glazed Aluminum Skylight** Configuration: O Glazing: Exterior Dome-0.118" Hyzod Polycarbonate w/8" rise/Interior Dome-0.118" Hyzod Polycarbonate w/4" rise Overall: W-4'4" H-8'4" DLO: W-4'0" H-8'0"

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	**Design Pressure: +60/-60 psf** **Large Missile Impact Rated**

Product Tested By: Architectural Testing, Inc.
Report No: ATI-01-43381.01
Expiration Date: **December 31, 2027**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com