

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009713-R5  
DATE: 12/05/2008  
CERTIFICATION PROGRAM: Structural  
COMPANY: Ply Gem  
CODE: 1408-1  
REVISION DATE: 11/05/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Ply Gem Window Group</b> <b>433 North Main Street</b> <b>Rocky Mount, VA 24151</b>	<b>Series "GLW-DH-134"</b> <b>Vinyl Double Hung Prime Window</b> Configuration: X/X Glazing: Insulating Glass (Annealed)  Frame: W-1118mm(44") H-1524mm(59.88") Panel: W-1041mm(41") H-762mm(30")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/NAFS-02</b>	<b>H-R50 1118 x 1524 (44 x 60)</b> <b>Design Pressure: 2400Pa(50 psf)</b> <b>Negative Design Pressure: 2400Pa(50 psf)</b> Water Penetration Resistance Test Pressure: 360Pa (7.5psf)

Product Tested By: ETC Laboratories  
Report No: ETC-05-552-16446.1  
Expiration Date: **June 30, 2029**

Administrator's Signature: \_\_\_\_\_ 

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)