

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI010027-R3  
**DATE:** 09/25/2009  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Tapco  
**CODE:** 1247-1  
**REVISION DATE:** 05/30/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>TAPCO, Inc.</b> <b>1815 McCullough Boulevard</b> <b>Tupelo, MS 38801</b>	<b>Series "985-HV" Triple Mulled</b> <b>Single Hung Hurricane Screen</b> Configuration: OOO/XXX Screen Material: 0.033" Stainless Steel Mesh Frame: W-3886mm(153") H-2438mm(96") Fixed Sash: W-1245mm(49") H-1168mm(46") Active Sash: W-1245mm(49") H-1168mm(46")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b> <b>ASTM E1886-05/E1996-05</b> <b>ASTM E330-02</b>	<b>Design Pressure: +50/-50 psf</b> <b>Wind Zone 4-Missile Level D</b> <b>Large Missile Impact Rated</b>

Product Tested By: National Certified Testing Laboratories.  
Report No: NCTL-210-3612-1/210-3612-1a  
Expiration Date: May 31, 2025

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)