

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI010036.03-R4  
**DATE:** 10/19/2009  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** American  
**CODE:** 1582-1  
**REVISION DATE:** 06/07/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>American Skylites</b> <b>525 113<sup>th</sup> Street</b> <b>Arlington, TX 76011</b>	<b>Series "CM-2" Aluminum Standard</b> <b>Curb Mount Plastic Dome Skylight</b>  Configuration: O  Inner Dome: 0.080" Nominal Acrylic  Outer Dome: 0.090" Nominal Acrylic  Frame: W-1219mm(48") H-1219mm(48")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b>	<b>SKP-C60 1219 x 1219 (48 x 48)</b> <b>Design Pressure (Download): 2873 Pa (60 psf)</b> <b>Negative Design Pressure (Uplift): 3360 Pa (70 psf)</b> <b>Water Resistance Test Pressure: 440 Pa (9.19 psf)</b>

Product Tested By: Architectural Testing, Inc.  
Report No: 92882.02-801-44  
Expiration Date: August 31, 2026

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be 'S. D.' or similar, written over a horizontal line.

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)