

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI010240.03-R3  
**DATE:** 05/09/2011  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Lepage Millwork  
**CODE:** 422-1  
**REVISION DATE:** 08/30/2021

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Lepage Millwork</b> <b>141 Chemin Des Raymond</b> <b>Riviere-Du-Loup, Quebec G5R4L9</b>	<b>Series "Double French Outswing Door</b> <b>Wind Zone 3" Aluminum-Clad Wood</b> <b>Double French Door</b>  Configuration: XX Glazing: IG-4mm Annealed Glass/Laminate- 4mm Annealed Glass/0.090" Dupont Sentry Glass Plus Interlayer/4mm Annealed Glass  Frame: W-1918mm(75.5") H-2502mm(98.5") Panel: W-908mm(35.75") H-2432mm(95.75")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b>	<b>SHD-R60 1918 x 2502 (76 x 99)</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-12531-1/W-1485  
Expiration Date: **December 31, 2026**

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122