

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI010525.01-R6  
**DATE:** 02/12/2011  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Ply Gem  
**CODE:** 1408-1  
**REVISION DATE:** 11/20/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Ply Gem Window Group</b> <b>433 North Main Street</b> <b>Rocky Mount, VA 24151</b>	<b>Series "Builders Series 1110"</b> <b>Vinyl Single Hung Prime Window</b>  Configuration: OX Glazing: Insulating Glass (Annealed) Frame: W-1219mm(48.00") H-2438mm(96.00") Sash: W-1151mm(45.31") H-889mm(35.00")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b>	<b>Class LC-PG30 1219 x 2438 (48 x 96)-H</b> <b>H-LC30 1219 x 2438 (48 x 96)-H</b> <b>Design Pressure: 1435 Pa (30 psf)</b> <b>Negative Design Pressure: 1676 Pa (35 psf)</b> <b>Water Penetration Resistance Test Pressure: 215 Pa(4.50 psf)</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-13441-1/W-1886/W-2159/W-2010  
Expiration Date: **June 30, 2030**

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023