

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI010575-R6  
**DATE:** 03/22/2014  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Ply Gem  
**CODE:** 1408-1  
**REVISION DATE:** 02/26/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p><b>Ply Gem Window Group</b>   <b>433 North Main Street</b>   <b>Rocky Mount, VA 24151</b></p>	<p style="text-align: center;"><b>“Builder Series 1111 Single Hung”</b>   <b>Tilt Vinyl Single Hung Window</b></p> <p style="text-align: center;">Configuration: O/X                      Glazing: Insulating Glass (Annealed)</p> <p>Frame: W-1118mm(44.00")    H-1880mm(74.00")                      Sash: W-1051mm(41.37")    H-921mm(36.25")                      STP: Pos+2873 Pa (60.00 psf) Neg-2873 (60.00 psf)</p>

SPECIFICATION	PRODUCT RATING
<p>AAMA/WDMA/CSA 101/I.S.2/A440-17                      AAMA/WDMA/CSA 101/I.S.2/A440-11                      AAMA/WDMA/CSA 101/I.S.2/A440-08                      AAMA/WDMA/CSA 101/I.S.2/A440-05</p>	<p style="text-align: center;"><b>Class R-PG40 1118 x 1880 (44 x 74)-H</b>  <b>H-R40 1118 x 1880 (44 x 74)</b>  <b>Design Pressure: 1915 Pa (40 psf)</b>  <b>Negative Design Pressure: 1915 Pa (40 psf)</b>                      Water Penetration Resistance Test Pressure: 287 Pa (6.00 psf)</p>

Product Tested By: National Certified Testing Laboratories  
 Report No: NCTL-110-13694-1/W-1886/W-2159/W-2010  
 Expiration Date: **December 31, 2030**

Administrator’s Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
 MANAGEMENT INSTITUTE, INC.**  
 4794 George Washington Memorial Highway  
 Hayes, VA 23072  
 Tel: (804) 684-5124  
 Email: [nami@namiinc.com](mailto:nami@namiinc.com)