

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI010760-R5  
**DATE:** 10/27/2011  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Ply Gem  
**CODE:** 1408-1  
**REVISION DATE:** 11/20/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p><b>Ply Gem Window Group</b>   <b>433 North Main Street</b>   <b>Rocky Mount, VA 24151</b></p>	<p style="text-align: center;"><b>Series "Mira Impact" Aluminum Clad Wood Impact Rated Out-Swing Casement Window</b></p> <p style="text-align: center;">Configuration: X                      Glazing: IG-1/8" Annealed Glass/                      Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8"                      Annealed Glass</p> <p>Frame:   W-914mm(36")           H-2140mm(84.25")                      DLO:     W-767mm(30.2")       H-1992mm(78.44")</p>

SPECIFICATION	PRODUCT RATING
<p>AAMA/WDMA/CSA 101/I.S.2/A440-17                      AAMA/WDMA/CSA 101/I.S.2/A440-11                      AAMA/WDMA/CSA 101/I.S.2/A440-08                      AAMA/WDMA/CSA 101/I.S.2/A440-05                      AAMA 506-06/08/11                      ASTM E1886-02/05/E1996-02/05</p>	<p style="text-align: center;"><b>Class LC-PG50 914 x 2140 (36 x 84)-C</b>  <b>Design Pressure: +50/-50 psf</b>  <b>Wind Zone 3-Missile Level D</b>  <b>Positive Design Pressure: +50 psf</b>  <b>Negative Design Pressure: -50 psf</b>  <b>C-LC50</b></p> <p style="text-align: center;">Water Penetration Resistance Test Pressure: 360 Pa (7.50 psf)</p>

Product Tested By: National Certified Testing Laboratories  
 Report No: NCTL-110-14370-1/NCTL-110-12765-3/W-2010  
 Expiration Date: **June 30, 2030**

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023