

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010891.07-R2
DATE: 02/27/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Door Store
CODE: 1367-1
REVISION DATE: 04/02/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
The Door Store of America DBA DSA Master Crafted Doors, LLC 10681 World Trade Boulevard Raleigh, NC 27617	“Tiffany Six Lite TDL 8/0” Wood Door with Two Lite Sidelites Configuration: OXO Glazing: Insulating Glass (Tempered) Frame: W-1905mm(75") H-2583mm(101.7") Panel: W-914mm(36") H-2438mm(96") Max DLO: W-307mm(12.1") H-524mm(20.6")

SPECIFICATION	PRODUCT RATING
ASTM E283-04/ASTM E330-02	Design Pressure: +50/-50 psf

Product Tested By: American Test Lab, Inc.
Report No: ATLNC-1107.01-11/EE-Smith 2012-01-31 Dwg DSA #006-2012/W-1506
Expiration Date: **February 28, 2026**

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com