

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010897.02-R3
DATE: 01/12/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Wincore
CODE: 1640-1
REVISION DATE: 05/03/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wincore Window Company, LLC 250 Staunton Turnpike Parkersburg, VA 26104	Series "400/500/5400/5400S" Vinyl Single Hung Window Configuration: O/X Glazing: Insulated Glass (Annealed) Frame: W-1219mm(48") H-2032mm(80") DLO: W-1162mm(45.75") H-989mm(38.19")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class LC-PG30 1219 x 2032 (48 x 80)-H H-LC30 1219 x 2032 (48 x 80) Design Pressure: ±1440 Pa (±30 psf) Water Penetration Resistance Test Pressure: 220 Pa (4.6 psf)

Product Tested By: Architectural Testing, Inc.
Report No: 80901.02-501-47/W-1944
Expiration Date: March 31, 2029

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com