

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010912.02-R6
DATE: 01/24/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Wincore
CODE: 1640-1
REVISION DATE: 07/12/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wincore Window Company, LLC 250 Staunton Turnpike Parkersburg, WV 26104	Series "5400S/5400/7700/9900" Vinyl Casement Picture Fixed Window Configuration: O Glazing: Insulated Glass (Annealed) or IG-1/8" Tempered Glass/Laminate-1/8" Tempered Glass/0.030" PVB Interlayer/1/8" Tempered Glass Frame: W-2438mm(96.00") H-1549mm(61.00") DLO: W-2273mm(89.13") H-1384mm(54.50")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class LC-PG60 2438 x 1549 (96 x 61)-FW FW-LC60 2438 x 1549 (96 x 61) Design Pressure: 2880 Pa (60 psf) Negative Design Pressure: 2880 Pa (60 psf) Water Penetration Resistance Test Pressure: 440 Pa(9.20 psf)

Product Tested By: Architectural Testing, Inc.
Report No: 80214.02-501-47/W-1712/W-1920
Expiration Date: **February 28, 2029**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com