NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI010912.03-R6**
DATE:	**01/24/2012**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Wincore**
CODE:	**1640-1**
REVISION DATE:	**07/12/2023**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wincore Window Company, LLC **250 Staunton Turnpike** **Parkersburg, WV 26104**	**Series "5400S/5400/7700/9900"** **Vinyl Casement Picture** **Fixed Window** Configuration: O Glazing: Insulated Glass (Annealed) or IG-3/16" Annealed Glass/Laminate-1/8" Annealed Glass/0.030" PVB Interlayer/1/8" Annealed Glass Frame: W-2438mm(96.00") H-1549mm(61.00") DLO: W-2273mm(89.13") H-1384mm(54.50")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 **AAMA/WDMA/CSA 101/I.S.2/A440-11** **AAMA/WDMA/CSA 101/I.S.2/A440-05**	**Class LC-PG45 2438 x 1549 (96 x 61)-FW** **FW-LC45 2438 x 1549 (96 x 61)** **Design Pressure: 2155 Pa (45 psf)** **Negative Design Pressure: 2155 Pa (45 psf)** **Water Penetration Resistance Test Pressure: 440 Pa(9.20 psf)**

Product Tested By: Architectural Testing, Inc.
Report No: 80214.02-501-47/W-1712/W-1920
Expiration Date: **February 28, 2029**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com