

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010916.13-R5  
DATE: 08/12/2014  
CERTIFICATION PROGRAM: Structural  
COMPANY: Wincore  
CODE: 1640-1  
REVISION DATE: 07/18/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Wincore Window Company, LLC</b> <b>250 Staunton Turnpike</b> <b>Parkersburg, WV 26104</b>	<b>Series "400/500"</b> <b>Vinyl Fixed Window</b>  Configuration: O Glazing: IG-1/8" Annealed Glass/1/8" Annealed Glass  Frame: W-1320mm(52.00") H-1320mm(52.00") DLO: W-1206mm(47.50") H-1206mm(47.50")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b>	<b>Class LC-PG50 1320 x 1320*(52 x 52*)-FW</b> <b>FW-LC50 1320 x 1320*(52 x 52*)</b> <b>Design Pressure: 2400 Pa (50 psf)</b> <b>Negative Design Pressure: 2400 Pa (50 psf)</b> <b>Water Penetration Resistance Test Pressure: 360 Pa(7.50 psf)</b>

Product Tested By: Architectural Testing, Inc.  
Report No: 84893.02-501-47/80143.04-501-47/W-1920  
Expiration Date: July 31, 2029

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)