NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI010916.14-R5**
DATE:	**08/12/2014**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Wincore**
CODE:	**1640-1**
REVISION DATE:	**07/18/2024**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wincore Window Company, LLC **250 Staunton Turnpike** **Parkersburg, WV 26104**	**Series "400/500"** **Vinyl Fixed Window** Configuration: O Glazing: IG-3/32" Annealed Glass/3/32" Annealed Glass Frame: W-1524mm(60.00") H-863mm(34.00") DLO: W-1409mm(55.50") H-749mm(29.50")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 **AAMA/WDMA/CSA 101/I.S.2/A440-11** **AAMA/WDMA/CSA 101/I.S.2/A440-05**	**Class LC-PG40 1524 x 864* (60 x 34*)-FW** **FW-LC40 1524 x 864* (60 x 34*)** **Design Pressure: 1915 Pa (40 psf)** **Negative Design Pressure: 1915 Pa (40 psf)** **Water Penetration Resistance Test Pressure: 360 Pa(7.50 psf)**

Product Tested By: Architectural Testing, Inc.
Report No: 84893.02-501-47/80143.04-501-47/W-1920
Expiration Date: **July 31, 2029**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com