

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI010916.35-R5
DATE: 08/13/2014
CERTIFICATION PROGRAM: Structural
COMPANY: Wincore
CODE: 1640-1
REVISION DATE: 07/18/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wincore Window Company, LLC 250 Staunton Turnpike Parkersburg, WV 26104	Series "5400/5400S" Vinyl Fixed Window Configuration: O Glazing: IG-3/32" Annealed Glass/3/32" Annealed Glass Frame: W-2133mm(84.00") H-609mm(24.00") DLO: W-2019mm(79.50") H-495mm(19.50")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-05 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-17	Class LC-PG30 2133 x 609* (84 x 24*)-FW FW-LC30 2133 x 609* (84 x 24*) Design Pressure: 1436 Pa (30 psf) Negative Design Pressure: 1436 Pa (30 psf) Water Penetration Resistance Test Pressure: 360 Pa(7.50 psf)

Product Tested By: Architectural Testing, Inc.
Report No: 80143.05-501-47/80143.01-501-47/W-1920
Expiration Date: July 31, 2029

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023